

Lipid Profile

Synonyms	Coronary risk panel																		
Abbreviation	Lipid																		
Specimen type	Preferred: Plasma Acceptable: Serum																		
Container	Green (PST) Red, Red/Yellow (SST)																		
Volume	1 mL Minimum: 0.5 mL																		
Collection requirements	Fasting specimen required																		
S/H instructions	Refrigerate																		
Stability	Centrifuged: 5 days refrigerated 3 months frozen																		
Reference range	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center;">Cholesterol mg/dL</td> <td style="text-align: center;">< 200 Desirable</td> <td style="text-align: center;">200-240 Borderline</td> <td style="text-align: center;">>240 High</td> </tr> <tr> <td style="text-align: center;">HDL mg/dL</td> <td style="text-align: center;">40 - 60</td> <td></td> <td></td> </tr> <tr> <td style="text-align: center;">LDL mg/dL</td> <td style="text-align: center;"><100 Optimal</td> <td style="text-align: center;">100 – 130 Borderline</td> <td style="text-align: center;">>130 High</td> </tr> <tr> <td style="text-align: center;">Triglyceride</td> <td style="text-align: center;"><150 Desirable</td> <td style="text-align: center;">150 – 199 Borderline</td> <td style="text-align: center;">≥200 High</td> </tr> </table>			Cholesterol mg/dL	< 200 Desirable	200-240 Borderline	>240 High	HDL mg/dL	40 - 60			LDL mg/dL	<100 Optimal	100 – 130 Borderline	>130 High	Triglyceride	<150 Desirable	150 – 199 Borderline	≥200 High
Cholesterol mg/dL	< 200 Desirable	200-240 Borderline	>240 High																
HDL mg/dL	40 - 60																		
LDL mg/dL	<100 Optimal	100 – 130 Borderline	>130 High																
Triglyceride	<150 Desirable	150 – 199 Borderline	≥200 High																

Routine / STAT T.A.T	Within 4 hours / 1 hour
Section	Chemistry
LAB code	01042